

# WASHTECH<sup>®</sup>

PROFESSIONAL WASH SYSTEMS



**WASHTECH**



**MOFFAT<sup>®</sup>**

# LISTEN, LEARN AND IMPROVE ...TIME AND TIME AGAIN

The Washtech range now delivers a new standard in performance, functionality and choice.

We understand everything we do must focus on improving how we assist our customers. During a comprehensive research and development process we have carefully analysed their changing requirements.

This has resulted in a new range that now covers a broader market spectrum, positioning three distinct types of dishwashers and glasswashers. With our range of features we can be sure each product is highly suited to every application.

The new range defines an evolution in our approach. It comes from listening, learning, improving and ultimately, triumphing in providing the very best in washing systems.



WASHTECH'S STRENGTHS	5
WHERE WE WORK	6
THE WASHTECH STORY	9
NEW DEVELOPMENTS	10
NEW CONTROL FEATURES	13
SUSTAINABILITY & SUPPORT	14
A-TYPE PREMIUM RANGE	15
M-TYPE PROFESSIONAL RANGE	22
X-TYPE ECONOMY RANGE	30

TYPE



## CRYSTAL CLEAR WASHTECH STRENGTH

**Peak performance.** New enhanced wash operation.

**Optimum efficiency.** Less water, chemical and energy use.

**Intuitive control.** User-friendly multi-function control panel.

**Enhanced operation.** For a cooler, quieter work environment.



**Easy upkeep.** Simple install and diagnostic ease, backed by 24/7 service.

Our machines have a smart combination of long product life, cost effectiveness, efficient operation and stunning cleaning results. Our company ethos is built around delivering functional design, ease of servicing, long-term parts availability and the most efficient machine operation.

But that's just the start of it.

With an attention to enhancing our characteristic Washtech design, the new range cuts a confident figure in any application. The differing type versions provide new strengths, attributes and opportunities to deliver better warewashing results. We deliver outstanding post sale warranty and maintenance with our national network of skilled technicians.





## EVERY CULINARY CONDITION EVERY CLEANING CARE

Our range has been designed, developed and tested to provide more capabilities to specific customers. Within each type group of products common attributes, features and performance are offered to ensure optimum efficiency and results.

We understand that every glass and dishwashing environment is not necessarily the same. Washtech models can be installed in the harshest working environments – from the frantic pace of the busy urban bar to the dry desert setting of the mining camp kitchen. No matter what conditions they are placed in you can be assured that they'll deliver the goods.



## EVEN FLOW THE WASHTECH STORY






The company was originally founded in 1981 by Des and Gary Brent in Auckland, New Zealand.

After spotting a new opportunity they released their first machine, an undercounter dishwasher, branded Starline. Subsequently the product range was extended to include glasswashers, all types of commercial dishwashers, potwashers and industrial washing machines.

In 1989 they entered the Australian market with the new Washtech brand. A base in Brisbane was established from which to distribute. In 1993 Washtech gained ISO 9001 certification, which it has maintained ever since.

Now, as the largest manufacturer of professional wash equipment in Australasia, Washtech can proudly look back on more than 30 years building robust, efficient and reliable equipment.

### ICON KEY

-  Cycle time/s
-  Water use per cycle
-  Wash chamber clearance
-  Rack width
-  Bench depth

# A NEW CAPABILITY IN CLEANING

To deliver the cleanest result sometimes it helps to start with a clean sheet of paper. We went back to the drawing board to ensure we could continue to meet the evolving needs of our diverse client base. The resultant development has delivered a new range of innovative technical developments that will enhance your overall warewashing experience.



## Greater efficiency

We have further reduced water consumption across the range, and the new Washtech range meets the highest international standards of efficiency with water consumption per cycle as low as 1.5 litres. Complete retention of hot rinse water also reduces your chemical and energy costs. Maximum rinse temperatures have also been reduced and the Ecopower system automatically allows wash and rinse temperatures to drop when the machine has not been used for a preset period. Thermal insulation in many models reduces energy consumption even further. Combined, these small changes make a difference to life cycle costs.

## Higher performance

We have reviewed and upgraded our filtration systems to enhance wash performance. Most models now incorporate a simple weir device or an active control of wash water to ensure fresh hot rinse water in each cycle is retained, while cooler soiled water is expelled. This not only enhances wash performance but also enhances efficiency by retaining valuable energy and reducing chemical requirement.

## Enhanced operation

Everything just got easier. The models in the A-type premium range incorporate thermal and acoustic insulation for a cooler, quieter working environment. Innovative internal systems flush waste from the machine during operation. Informative electronics include external control of the drain cycle to flush the cabinet clean during the drain cycle. And many models incorporate new curved tanks with no visible welds. All these factors help make the new models easy to work with, easy to use and easy to clean.

## Assured rinse conditions

The A-type range and M2 model incorporate a durable 316 stainless steel rinse boiler that can easily withstand corrosive water conditions. This is fitted with a rinse booster pump to consistently pressurise the final rinse independently of the water supply. Only after the rinse has finished is the boiler refilled, which ensures a constant temperature is maintained throughout the rinse. So you'll receive constant optimum pressure, constant temperature and consistent low water consumption. That's convenient.

## Quick installation

Most Washtech machines are now supplied with all service lines fitted external to the cabinet. Hoses

for water, waste, detergent and rinse fluid along with the 15 amp electrical plugset are all provided to make installation simple and fast. Premium models and the M2 and XP may be installed on three-phase supply with additional rinse heating (for rapid recovery between cycles) already fitted and available for connection.

## Easy maintenance

The new electronic controls include diagnostics and a range of parameters (such as detergent injection) that can quickly and easily be set by technicians. We have also maintained our tradition of strong commonality of parts across the range to help ensure immediate and long-term availability of spares.

## Built-tough construction


A key factor in the long life of our machines is the extensive use of 304 stainless wash distribution castings. Many of these components are not seen. They sit behind the wash cabinet walls and, because they are difficult to get at, they're expensive to replace. Unfortunately these parts are also subject to significant wear from hot water and aggressive chemicals. Nearly every manufacturer globally uses plastic for these components. Our stainless steel castings last for decades. Also, our rinse tanks and boilers are made either from copper or from 316 grade stainless, ensuring long service life.



## ON THE GO IN CONTROL

To ensure ongoing productivity controls need to be simple to understand and intuitive to use. The new A-type and M-type models provide clear and simple electronic displays with just the right amount of information. Using clear numerical and icon indications, users can select the following key functions:

- Multiple cycle options for various soil requirements.
- Soft start to protect washware as the powerful wash commences.
- Ecopower settings to automatically reduce energy and cost by lowering temperatures when the machine is inactive for some time.
- Self-cleaning cycle for automatic rinsing of the machine with drain cycle activation at the end of the shift.
- Diagnostics settings to advise of faults and set operational parameters – which reduces service time and maintenance cost.



### CYCLE SELECTIONS



LIGHT CYCLE



MEDIUM CYCLE (HEATING MODE)



HEAVY CYCLE

### OPERATING MODES



FILL MODE



DRAIN MODE



ECOPOWER MODE



## EFFICIENCY, SUSTAINABILITY, PERFECTLY

The hospitality industry demands energy efficiency and sustainable design from its products. That's why we ensure our technology consumes the minimum amount of water required to deliver perfect results.

All water must be heated adequately to wash well and sanitise effectively during the final rinse. Detergent and rinse aid are vital to overall performance, and the consumption of these depends on water volumes.

All this water, energy and chemical goes down the drain. And with increasing charges for water discharge every drop averted represents savings beyond actual water. However, sound environmental design and production is of little value if products don't last.

Everything that goes into producing and servicing Washtech systems ensures a long product lifecycle. This means robust construction, stainless steel, commonisation of components, simple control systems, ease of servicing and long term parts support. We build our machines to last.

However, no matter how well we do our job, any equipment will require servicing at some stage. And things can still sometimes go wrong. So we have our 5-2-1 warranty – the best in the business. With 5 years on the cabinet, 2 years on the wash pump and a comprehensive 1 year parts and labour warranty you'll have the support when and where you need it.







## GREATEST CAPABILITY **A-TYPE PREMIUM**

For the very best in fast, energy-efficient washing the A-type Premium range can't be beat. With a higher performance level and extended functionality this range delivers easier operation and reduced operating costs. Thanks to a clever design and construction process the technology now provides even quieter, cooler operation.

The advanced new filtration systems accumulate food waste and remove much of it from the machine during operation. Hot fresh rinse water is all retained instead of cooler soiled water – which is pumped from the machine. It's a process that ensures both fresher wash water and reduces energy and chemical use.

Peace of mind is also a vital factor in the appeal of these machines thanks to the assured rinse system. Performance is now guaranteed

regardless of the supply temperature or pressure. Increased practicality is another key strength with the range ideally suited for connection to reverse osmosis water supply.

The powerful pumps of the A-type range deliver high performance with a smooth, soft start – a process that minimises disruption to washware. With this level of brawn and brains the range provides the last word in commercial wash performance.



# A-TYPE PREMIUM KEY FEATURES

## Insulation

We've developed full acoustic and thermal insulation to both reduce operational noise and provide a cooler operating environment.

## Smooth action door

This undercounter range now has a spring assisted drop-down door to ensure a soft, fluid action when opening or closing.

## Assured rinse

Rinse performance is assured regardless of water supply pressure with the 316 grade break tank and rinse booster pump. Additional heating is also available when using reverse osmosis water.

## Hot rinse retention

Our system ensures fresh clean hot rinse water is retained within the wash tank instead of cooler soiled water, resulting in a reduction in the overall energy consumption.

## Enhanced filtration

Filtration systems have been enhanced throughout the range to separate food soil from wash water and improve wash performance – the A-type actively removes filtered waste during the machine cycle.

## Intuitive controls

A clear electronic control display provides just the right amount of status information. With numerical and icon indication for eco-power control settings, self-cleaning cycle and service diagnostics.

## Stainless steel wash arms

In addition to the robust stainless steel internal wash distribution all models in this range are equipped with independent stainless steel wash and rinse arms with removable cleaning caps. The AL pass-through dishwasher also ensures thorough cleaning with dual upper and lower stainless wash arms.

## High chamber clearance



The GL and UL undercounter glasswasher / dishwashers have a high wash chamber clearance of 350mm. The AL offers 430 mm clearance, catering for a larger variety of tall cups, pans and dishes.

## Self-cleaning auto drain

During the draining of the machine a rinsing cycle is activated to flush the machine clean. The machine then automatically rinses clean internally before the cycle ends and the standby mode is activated.

## Easy installation

All service connections are now accessible externally for fast simple installation. The GL and UL models include (EG with R.O. water) additional rinse heating for cold supply with RO water which can be easily activated for three phase supply.





## A-TYPE PREMIUM

### Standard Features

- Acoustic and thermal insulation for cool and quiet operation
- Intuitive electronic display panel with keypad controls
- Multi-cycle options for varying soil loading
- Ecopower to reduce energy cost
- Soft start function to protect washware
- Self cleaning cycle
- Self-diagnostics for error recognition
- Enhanced filtration with active waste removal
- Dual chemical injectors & drain pump fitted standard
- Powerful wash with assured constant rinse technology 316 grade stainless steel rinse tank and rinse booster pump
- Break tank and rinse pressure pump fitted as standard
- Stainless steel upper/lower wash and independent rinse arms with removable cleaning caps
- Magnetic door safety switch on GL & UL, and with autostart on AL
- Reverse Osmosis compatible for spot free results
- Stainless steel construction
- Easy installation with water supply hose, dual chemical injector lines, drain pump & electrical connections accessible from exterior
- Watermark certified

## GL

### Fully Insulated Premium Undercounter Glasswasher / Dishwasher – 450mm Rack

W 535mm x D 560mm x H 835mm

The GL is not just a superb glasswasher – it's a high specification compact under-counter machine that accepts all racks up to 450mm square. With upper and lower rotating wash arms, multiple cycles and advanced filtration it is a highly effective dishwasher that's ideal for when space is limited (particularly so when large plates are not being used). Operators appreciate that the significantly lower weight of loaded racks making them much easier to lift onto the bench. And they enjoy the cooler, quieter work environment that advanced thermal and acoustic insulation delivers.




### Standard Features

- 2.4 litres per cycle hot water consumption
- Cleans up to 1000 glasses per hour / 500 plates per hour
- Multi-cycle selection - 1,2,3 minute plus manual cycle for extreme soil loading
- Cold final rinse to rapidly cool glassware
- Enhanced filtration with active waste removal
- Active flushing of food soil during operation cycle
- Recirculates wash water at nominal 100 litres per minute
- 2.5kW wash and 3/6 kW rinse heating (3 phase activation required for 6kW)
- Smooth action drop down door
- 350mm high wash chamber clearance
- Suits 450mm maximum rack width
- Hot & cold water supply hoses, dual chemical injector lines & drain pump connection supplied
- 15amp plugset supplied
- Includes adjustable feet & rear rollers for easy removal when cleaning

### Accessories


- 1 x 450mm plastic cup rack
- 1 x 450mm plastic dish rack
- 1 x cutlery container
- Service connections for power, water, pumped waste, detergent & rinse fluid
- Reverse osmosis and/or water supply filtration systems



# UL

Fully Insulated Premium Undercounter Glasswasher / Dishwasher – 500mm Rack

W 600mm x D 635mm x H 845mm



The Washtech UL model delivers cool, quiet efficient washing in a fully-featured 500mm rack format. The powerful wash with soft start and advanced filtration ensures great results and the rinse break tank / booster pump deliver a highly efficient performance regardless of water supply pressure. Along with the thermal and acoustic insulation the carefully sprung and balanced door makes this unit a pleasure to use.




### Standard Features

- 2.4 litres per cycle hot water consumption
- Cleans up to 1000 glasses per hour / 800 plates per hour
- Multicycle selection – 1,2,3 minute plus manual cycle for extreme soil loading
- Enhanced filtration for superior wash & rinse results
- Active flushing of food soil during operation cycle
- Independent stainless steel upper/lower wash and rinse arms with removable cleaning caps
- Recirculates wash water at nominal 200 litres per minute
- 2.5kW wash and 3/6 kW rinse heating (3 phase required for 6kW)
- Smooth action drop down door
- 350mm high wash chamber clearance
- Suits 500mm international standard racks
- Water supply hose, dual chemical injector lines & drain pump connection supplied
- 15amp plugset supplied
- Includes adjustable feet & rear rollers for easy removal when cleaning

### Accessories

- 1 x 500mm plastic cup rack
- 1 x 500mm plastic dish rack
- 1 x cutlery container
- Service connections for power, water, pumped waste, detergent & rinse fluid
- Reverse osmosis and/or water supply filtration systems



# AL

Fully Insulated Premium Passthrough Dishwasher – 500mm Rack

W 750mm x D 795mm x H 1525mm

As one of the most powerful machines on the market the AL unit is famous for high capacity passthrough performance. Now, with enhanced filtration and active waste management, the bar has been lifted even higher. Also of note – the high efficiency rinse performance is assured with rinse break tank / booster pump. Application of thermal and acoustic insulation delivers a much nicer work environment. The electronic controls provide improved vastly improved functionality and the unit is even easier to install now that all the service connections are fitted externally.




### Standard Features

- Huge capacity, with a high-power 1.5hp wash pump
- 2.4 litres per cycle hot water consumption
- Cleans up to 1400 plates per hour
- Multicycle selection – fast 40, 60, 90 seconds plus manual cycle for extreme soil loading
- Enhanced filtration for superior wash & rinse results
- Active flushing of food soil during operation cycle
- Dual stainless steel upper/lower wash & independent rinse arms with cleaning caps
- Recirculates wash water at nominal 650 litres per minute
- 2.5kW wash & 6kW rinse heating
- Autostart on hood closure
- 430mm high wash chamber clearance
- Suits 500mm international standard racks
- Anti-drip door edge channels water away from operator
- Easy clean L-shaped tank with curved corners
- Water supply hose, dual chemical injector lines & drain pump connection supplied
- 3 phase connection
- Includes 200mm high legs for easy cleaning beneath the machine

### Accessories

- 1 x 500mm cup rack
- 2 x 500mm dishrack
- 1 x cutlery container
- 1 x cutlery basket 8 division
- Service connections for power, water, pumped waste, detergent & rinse fluid
- Reverse osmosis and/or water supply filtration systems





TYPE



## RENOWNED PERFORMANCE M-TYPE PROFESSIONAL

The M-type professional range includes our biggest selling models.

The M type professional range rises to the challenge, exuding robust reliability and performance. All M type models offer cool machine front and sound dampened door and electronic controls as standard.



# M-TYPE PROFESSIONAL

## KEY FEATURES

### Insulation

GM and UD models include an operator friendly cool machine front with thermal insulation and sound dampened door.

### Assured rinse

The M2 is fitted standard with a 316 stainless rinse break tank and rinse booster pump. It is shipped with a 15 amp plugset for fast, easy installation utilising 3kW rinse heating. An additional 3kW rinse heating is fitted and easily connected when 3-phase supply is available, and this is the recommended configuration for rapid recovery between cycles.

### Hot rinse retention

The GM and UD models now include additional systems that not only filter both wash and drain water, but also facilitate the flushing of cooler soiled wash water from the machine while retaining fresh hot rinse water.

### Filtration

Filtration systems in the UD & M2 models have been enhanced to ensure better filtration of both wash /drain water, and a quick-clean, contoured wash tank stores water below the easily removable scrap trays.

### Intuitive controls

Well-designed electronic controls clearly communicate the machine status and provide comprehensive functionality. With clear numerical and icon indication a selection can be made from multiple cycle options, including light medium or heavy soil levels, filling and draining the machine, a manual cycle for extended washing and service diagnostics.

### Stainless steel wash arms



The M-type range is equipped with independent stainless steel wash and rinse arms with removable cleaning caps, and a robust stainless steel internal wash distribution.

### Clean Perspective

Dual chemical injectors and a drain pump are fitted as standard on all models in this range.

### Easy installation

All service connections are now accessible externally for fast simple installation. In the M2 model additional rinse heating is fitted and easily activated for 3-phase supply (to ensure rapid recovery between cycles).



## M-TYPE PROFESSIONAL

### Standard Features

- Cool machine front with thermal insulation & sound dampened door (GM & UD)
- Intuitive electronic display panel with keypad controls
- Multi-cycle options for varying soil loading
- Ecopower to reduce energy cost
- Soft start function to protect washware
- Self cleaning cycle
- Self-diagnostics for error recognition
- Double filtration via scrap trays and separate wash inlet
- Dual chemical injectors & drain pump fitted standard
- Stainless steel upper/lower wash and independent rinse arms with removable cleaning caps
- Magnetic door safety switch on GM & UD, with autostart on M2
- Stainless steel construction
- Easy installation with water supply hose, dual chemical injector lines, drain pump & electrical connections accessible from exterior
- Watermark certified



TYPE

## GM

Professional Undercounter Glasswasher and  
Light Duty Dishwasher – 450mm Rack

W 505mm x D 555mm x H 860mm



The GM model is well recognised as the industry standard for glasswashers. Now, with the latest and greatest version, the standard has been raised once more. There's a higher level of performance from the upper rotating wash arms and a cooler, quieter operation thanks to the new insulated door. With multiple cycles and improved filtration the GM improves its effectiveness as a compact dishwasher, without compromising its ability to accept all glass racks up to 450mm square.




### Standard Features

- Smart Watermark-approved high efficiency glasswasher
- Low hot water consumption 2.2 litres per cycle
- Cleans up to 1000 glasses per hour / 500 plates per hour
- Multi-cycle selection - 1,2,3 minute plus manual cycle for extreme soil loading
- Cold final rinse to rapidly cool glassware
- Double filtration via scrap trays and separate wash inlet filter with hot rinse retention
- Recirculates wash water at nominal 100 litres per minute
- 2.5kW wash & 3kW rinse heating
- Cool machine front and sound dampened door
- 290mm high wash chamber clearance
- Suits 450mm maximum rack width
- Hot & cold water supply hoses, dual chemical injector lines & drain pump connection supplied
- 316 grade stainless steel rinse tank
- 15amp plugset supplied
- Includes adjustable 150mm high legs

### Accessories

- 1 x 450mm plastic cup rack
- 1 x 450mm plastic dish rack
- 1 x cutlery container
- Service connections for power, water, pumped waste, detergent & rinse fluid





## UD

### Professional Undercounter Glasswasher / Dishwasher – 500mm Rack

W 600mm x D 635mm x H 840mm

The UD has earned its place as the biggest selling undercounter dishwasher in Australasia – the high performance multi-cycle 500mm rack machine is perfectly suited for cafes and small restaurants. But that doesn't mean we're resting on our laurels, and the latest evolution delivers further capabilities. Now with a more compact design and intuitive, user-friendly electronic controls there's additional functionality and, with an insulated front, greater operator comfort. The ecopower and rinse retention features deliver further efficiency and energy savings.




#### Standard Features

- 2.6 litres per cycle hot water consumption
- Cleans up to 1000 glasses per hour / 800 plates per hour
- Multi-cycle selection: 1,2,3 minute plus manual cycle for extreme soil loading
- Double filtration via scrap trays and separate wash inlet filter with hot rinse retention
- Recirculates wash water at nominal 200 litres per minute
- 2.5kW wash & 3kW rinse heating
- Cool machine front and sound dampened door
- 350mm high wash chamber clearance
- Suits 500mm international standard racks
- Water supply hose, dual chemical injector lines & drain pump connection supplied
- 316 grade stainless steel rinse tank
- 15amp plugset supplied
- Includes adjustable feet & rear rollers to facilitate removal of machine for cleaning

#### Accessories

- 1 x 500mm cup rack
- 1 x 500mm dish rack
- 1 x cutlery container
- Service connections for power, water, pumped waste, detergent & rinse fluid



## M2

### Professional Passthrough Dishwasher – 500mm Rack

W 700mm x D 765mm x H 1525mm

Our M2 model enjoys a stellar reputation of excellence with medium sized restaurants throughout Australia and New Zealand. The powerful wash capabilities have always been popular, as has the 60-second wash time of the fastest cycle, a feature that allows the M2 to wash up to a 1000 plates in an hour. There's also the flexibility during installation – it can be installed into either a 600 or 640mm bench gap, making it a great replacement machine when the need arises.




#### Standard Features

- 2.4 litre per cycle hot water consumption
- Cleans up to 1000 plates per hour
- Powerful wash with assured constant rinse technology
- Multi-cycle selection: 1,2,3 minute plus manual cycle for extreme soil loading
- Double filtration via scrap trays and separate wash inlet filter
- Recirculates wash water at nominal 350 litres per minute
- 2.5kW wash and 3/6 kW rinse heating (3 phase required for 6kW)
- Autostart on hood closure
- 430mm high wash chamber clearance
- Suits 500mm international standard racks
- Water supply hose, dual chemical injector lines & drain pump connection supplied
- 316 grade stainless steel rinse tank and rinse booster
- Anti-drip door edge channels water away from operator
- Easy clean L-shaped tank with curved corners
- 15amp plugset supplied
- Includes adjustable 200mm high legs

#### Accessories

- 1 x 500mm cup rack
- 2 x 500mm dishrack
- 2 x cutlery containers
- Service connections for power, water, pumped waste, detergent & rinse fluid





## REFINED VALUE **X-TYPE ECONOMY**

Whether a small start-up business or a larger operation needing additional support for high demand, sometimes simple and cost-effective technology provides the very best solution.

Our economy range has been meticulously developed to meet these requirements, while at the same time surpassing the common expectations of what entry-level products deliver.

With a robust, proven passthrough machine, a simple, high-performance under-counter dishwasher and an extremely efficient glasswasher this range delivers both exemplary performance and, with our industry-leading commitment to post-sale support, ongoing peace of mind.





## X-TYPE ECONOMY KEY FEATURES

### Electromechanical Controls

With our classic electromechanical controls the X-type units can be both easily operated and, if necessary, easily repaired. We use many common components throughout our range, so your service provider is likely to have the part required.

### Quick-start cycle

These machines start immediately regardless of rinse temperature. If necessary the wash cycle is then prolonged while the rinse temperature reaches the minimum required for effective sanitisation and compliance.

### Cleaning power

Dual chemical injectors - for both detergent and rinse fluid - are fitted standard, and the XG and XU models are fitted with drain pumps.

### Easy installation

All service connections are now accessible externally for fast and simple installation (with the exception of the fixed drain connection on the XP).

### Rinse capabilities

While the XP model is shipped with a 15amp plugset for fast, easy installation with 3kW rinse heating there is an additional 3kW rinse heating fitted and easily connected when 3-phase supply is available. This is the recommended configuration: 6 kW rinse heating for rapid recovery between cycles.

## X-TYPE ECONOMY

### Standard Features

- Electromechanical controls for long-term reliability
- Simple robust analogue control panel for easy operation
- Quick-start cycle extends wash if necessary while rinse reheats
- Stainless steel construction
- Easy installation with water supply hose, dual chemical injector lines, drain pump & electrical connections accessible from exterior
- Magnetic door safety switch
- Watermark certified
- Smart Watermark certification (for XG)

## XG

High Efficiency Economy Undercounter Glasswasher – 365mm Rack

W 445mm x D 510mm x H 775mm


Efficiency and power lay at the heart of the XG appeal. The excellent water consumption figure of only 1.5 litres per cycle has earned this highly efficient glasswasher Smart Watermark certification. And the recirculating wash system delivers superb wash performance in turn-your-back-and-it's-done one-minute cycle. The unit also delivers the convenience of compactness, easily fitting under most bars. Installation is a piece of cake too – and it is supplied standard with dual chemical pumps and a drain pump. Last, but not least, the simple electromechanical controls provide day-to-day no fuss operation and year-after-year reliable service.

### Standard Features

- Low hot water consumption 1.5 litres per cycle
- Cleans up to 1000 glasses per hour
- Quickstart fast one minute cycle
- Single filtration system
- Innovative weir system retains fresh hot rinse & flushes cooler wash water
- Drain pump fitted
- Lower rotating wash & rinse arm with precision moulded jets
- Recirculates wash water at nominal 100 litres per minute
- 2.5kW wash & 3kW rinse heating
- 290mm door clearance
- Accepts all standard 365mm x 435mm glass racks
- Water supply hose, dual chemical injector lines & drain pump connection supplied
- 15amp plugset supplied

### Accessories

- 1 x 365 mm glass rack
- Service connections for power, water, pumped waste, detergent & rinse fluid



# XU

## Economy Undercounter Dishwasher – 500mm Rack

**W 570mm x D 635mm x H 840mm**


The newly developed XU model provides all the capabilities expected from a full-height 500mm rack undercounter dishwasher, and then some. It's fitted with an insulated door for operator comfort and simple electromechanical controls for easy operation. The powerful pump delivers excellent wash performance in the two-minute wash cycle and the machine comes fitted with dual chemical pumps and a drain pump. And with all service connections external for fast and easy connection you'll be able to get it in and up and running in next to no time.

### Standard Features

- 2.6 litres per cycle hot water consumption
- Cleans up to 600 plates per hour
- Quickstart two minute cycle
- Double filtration for superior wash & rinse results
- Innovative weir system retains fresh hot water & flushes cooler dirty water
- Drain pump fitted
- Upper and lower wash & rinse arms with precision moulded jets
- Recirculates wash water at nominal 200 litres per minute
- 2.5kW wash & 3kW rinse heating
- 350mm door clearance
- Suits 500mm international standard racks
- Water supply hose, dual chemical injector lines & drain pump connection supplied
- 15amp plugset supplied

### Accessories

- 1 x 500mm cup rack
- 1 x 500mm dish rack
- 1 x cutlery container
- Service connections for power, water, pumped waste, detergent & rinse fluid



# XP

## Economy Passthrough Dishwasher – 500mm Rack

**W 705mm x D 765mm x H 1520mm**


Economy market leading passthrough dishwasher that delivers robust performance. With 1, 2 and 3 minute cycles you can be assured that all types of washware can be handled quickly and confidently. The long-lasting electromechanical controls offer both ease of use and peace of mind too. And everything is backed by the acclaimed Washtech warranty. For big results from a small investment, the choice is easy.

### Standard Features

- 2.6 litre per cycle hot water consumption
- Cleans up to 1000 plates per hour
- 1, 2 or 3-minute wash cycles to suit all soil loadings
- Double filtration for superior wash & rinse results
- Upper and lower wash & rinse arms with precision moulded jets
- Recirculates wash water at nominal 350 litres per minute
- 2.5kW wash & 3/6 kW rinse heating (3 phase required for 6kW)
- Autostart on hood closure
- 430mm high wash chamber clearance
- Suits 500mm international standard racks
- Anti-drip door edge channels water away from operator
- Easy clean L-shaped tank with curved corners
- Water supply hose & dual chemical injector lines supplied
- 15amp plugset supplied

### Accessories

- 1 x 500mm cup rack
- 1 x 500mm dishrack
- 1 x cutlery container
- Service connections for power, water, pumped waste, detergent & rinse fluid





www.moffat.com.au

Australia  
Moffat Pty Limited

Victoria/Tasmania  
740 Springvale Road  
Mulgrave, Victoria 3170  
Telephone 03-9518 3888  
Facsimile 03-9518 3833  
vsales@moffat.com.au  
www.moffat.com.au

New South Wales  
Telephone 02-8833 4111  
nswsales@moffat.com.au

South Australia  
Telephone 03-9518 3888  
vsales@moffat.com.au

Queensland  
Telephone 07-3630 8600  
qldsals@moffat.com.au

Western Australia  
Telephone 08-9202 6820  
bgarcia@moffat.com.au

## On call service where you are.

Moffat provides full service backup, 24 hours a day, 7 days a week.

Our own Technical Service Department provides full support to a team of trained service personnel in each of our branches.

Strategically placed, authorised service providers offer backup to outlying areas and a national toll free number enables immediate access to our service network.

1800 622 216 Moffat Australia



Designed and manufactured by

**WASHTECH**

ISO9001

All Washtech products are designed and manufactured by Washtech using the internationally recognised ISO9001 quality management system, covering design, manufacture and final inspection, ensuring consistent high quality at all times.

In line with policy to continually develop and improve its products, Moffat Pty Ltd reserves the right to change specifications and design without notice.

© Copyright Moffat Pty Ltd  
Moffat / 1372 / 09.2013

